### Sustainable Water Management Initiative Technical Subcommittee

Presentation Title: Safe Yield Components

Presented By: Linda Hutchins , Hydrologist

Department of Conservation and Recreation

Office of Water Resources

Date of Presentation: 14 September 2010


The following presentation is offered for discussion purposes only and does not necessarily represent current statute, regulation, or policy positions of the Commonwealth of Massachusetts unless specifically acknowledged.

This presentation is not to be cited as a reference. It's purpose is to foster open and broad discussion of the issues as well as help assure public awareness of the discussions as of the date of the presentation.

# Safe Yield Components Basin yield Storage Credits

Linda Hutchins, DCR SWMI Technical Committee September 14, 2010

## Safe Yield Approach with an Environmental Protection Factor



#### **Major Basin Safe Yield=**

**Basin Yield** 

+


**Reservoir Storage Credit** 

\_

**Environmental Protection Factor** 

#### **USGS Sustainable Yield Estimator**

- Calculates Daily Estimated Unimpacted Flows
- Calculates Daily Estimated Impacted Flows
- Generates Period of Record 1960-2004



#### **Basin Yield**

## Annual Drought Volume Calculated from SYE Statistics using Monthly 90<sup>th</sup> percentile low flows

Millers													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
Q98	0.24	0.34	0.56	0.92	0.44	0.21	0.14	0.09	0.08	0.16	0.22	0.27	0.31
Q95	0.34	0.43	0.74	1.05	0.54	0.25	0.16	0.14	0.12	0.20	0.26	0.40	0.38
Q90	0.44	0.57	0.91	1.28	0.70	0.30	0.20	0.15	0.15	0.23	0.34	0.48	0.48
Q80	0.62	0.72	1.16	1.72	0.98	0.40	0.25	0.20	0.21	0.31	0.51	0.63	0.64
Q75	0.70	0.80	1.32	1.93	1.11	0.46	0.26	0.22	0.22	0.34	0.58	0.73	0.72
Q50 (Medians of Daily Means)	1.11	1.23	2.24	2.95	1.63	0.84	0.39	0.33	0.33	0.53	1.11	1.29	1.16
Median of Monthly Means, cfsm	1.54	1.49	2.94	4.11	2.06	1.02	0.56	0.40	0.46	0.66	1.31	1.54	1.50



Monthly values are time-weighted and "rolled up" into an average annual value \*

 $<sup>* = ((</sup>Jan \times 31 \text{ days}) + (Feb \times 28 \text{ days}) + (Mar \times 31 \text{ days}) + (Apr \times 30 \text{ days}) + (May \times 31 \text{ days}) + (Jun \times 30 \text{ days})$ 

<sup>+ (</sup>Jul x 31 days) + (Aug x 31 days) + (Sep x 30 days) + (Oct x 31 days) + (Nov x 30 days) + (Dec x 31 days) )/365 days

### Monthly Q90 Rollup:

A synthesized low-flow year.

How does it compare to real years?

What is the recurrence interval?


#### We compared all the SYE Simulated Years

	Monthly Median of Daily Mean Flows, cfsm												Ì
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
1961	0.88	0.88	3.52	6.13	2.52	1.04	0.53	0.31	0.41	0.45	0.89	0.95	1.54
1962	1.76	0.95	2.02	4.58	1.88	0.65	0.24	0.28	0.17	0.99	2.73	2.11	1.53
1963	1.70	1.16	2.59	2.24	1.60	0.79	0.20	0.10	0.06	0.06	1.33	1.52	1.11
1964	1.29	1.72	2.98	2.66	1.60	0.52	0.46	0.06	0.04	0.12	0.15	0.39	1.00
1965	0.44	1.12	1.52	1.72	0.93	0.45	0.12	0.14	0.15	0.21	0.28	0.27	0.61
1966	0.33	1.17	2.72	1.23	1.00	0.46	0.12	0.10	0.17	0.26	0.73	0.61	0.74
1967	0.81	0.68	1.83	3.90	2.97	1.38	0.61	0.30	0.21	0.25	0.66	1.15	1.23
1968	1.34	1.25	2.97	1.66	1.07	1.80	0.67	0.20	0.12	0.35	1.44	1.63	1.21
1969	1.31	1.56	2.22	3.89	1.52	0.57	0.22	0.24	0.21	0.28	2.33	2.71	1.42
1970	1.58	2.39	1.60	2.70	1.70	0.93	0.57	0.14	0.15	0.30	1.29	1.02	1.19
1971	0.78	1.82	3.54	3.29	2.57	0.99	0.33	0.10	0.14	0.24	0.41	1.66	1.32
1972	1.25	1.53	4.20	3.70	2.57	3.31	1.96	0.33	0.55	0.62	2.38	2.56	2.08
1973	2.44	2.15	3.28	4.78	3.17	1.09	0.84	0.26	0.13	0.14	0.65	1.96	1.74
4.000	4.40	4 504	4 700	0.70	4 000	0.70	0.00	0.00	0.00	0.04	4 4 5	0.04	2.20

## Monthly Q90 Rollup:


A synthesized low-flow year. How does it compare to real years?

Shawsheen River Basin
Monthly Q50's (medians of daily flows)
Monthly Q90's (90th percentile of daily flows) = 0.52
1980, 1965=0.61 (Monthly medians of daily flows)




## In some basins Monthly Q90 rollup is much below minimum actual year

Hudson River Basin
Monthly Q50's (medians of daily flows)
Monthly Q90's (90th percentile of daily flows) = 0.47
1980=0.77, 1965 (Monthly medians of daily flows)



### SYE can't be used for all major basins




Apply a MGD/square mile value to coastal basins for safe yield?

Use actual gage data for major regional rivers (net values)

Use some version of 2009 recharge calculations for safe yield?

## Safe Yield Reservoir Storage Credits

#### **Safe Yield Reservoir Storage Credits**



- •credit basins with large amounts of storage:
  - Storage exceeds one year of drought year inflow
  - •storage also exceeds one year of authorized water use.
- •The first year of inflow cannot be added to the Safe Yield, since it is already included in the SYE flow estimate for the basins.

## Safe Yield Storage Credit

- When storage is greater than both Basin Yield flow and Maximum Annual Use, maximum "credit" to basin safe yield = average annual inflow rate to the reservoir
- A lesser amount of "excess storage" could be credited for amounts of storage above one year of water use but less than the average annual inflow volume
- For multiple reservoir systems within a single major basin that pump between reservoirs, the total volumes, inflows, and withdrawals can be analyzed together


#### **Proposed Reservoir Storage Credits**


- Quinebaug (Southbridge) = 0.07 MGD
- Housatonic (Lee) = 0.12 MGD
- Boston Harbor (Mystic Lakes) = 1.62 MGD
- Westfield (Springfield) = 62.6 MGD
- Nashua (MWRA, Fitchburg) = 141.6 MGD
- Chicopee (MWRA, Fitchburg) = 250.1 MGD

## **Step 1: Determine Reservoir Storage**

#### Volume in millions of gallons

USGS SIR 2006-5044 (Firm Yield)





## Example – MWRA Quabbin (Largest proposed Storage Credits)

**Step 1:** Quabbin Reservoir Storage Volume = 333,720 Million Gallons

#### Step 2: Determine Basin Yield Reservoir Inflow

Use Basin Yield for Major Basin to scale reservoir inflow to reservoir drainage area Major Basin Yield (MGD)/Basin Area (Sq Mi) X Drainage Area to Reservoir = Basin Yield Reservoir Inflow, MGD Multiply Reservoir Inflow X 365 days/year = Reservoir Inflow in Millions of Gallons (MG)

Quabbin BYRI = 0.54 cfsm x 186 sq mi x 365 days/yr = 23,652 MG

#### Step 3: Compare Reservoir Storage Volume to Basin Yield Reservoir Inflow

If Reservoir Storage < Basin Yield Reservoir Inflow
If Reservoir Storage > Basin Yield Reservoir Inflow
Then no credit to safe yield amount
Then continue to Step 4

Reservoir Storage 333,720 >> Basin Yield Reservoir Inflow 23,652 MG

## Quabbin Example Continued

#### **Step 4:** Determine reservoir system authorized withdrawal in MGD

Add WMA registered and permitted withdrawals

Quabbin Authorized withdrawal = 186.7 MGD (WMA Registered)

= 68,146 MGY

**Step 5:** Determine Release Requirement, if any in MGD

Quabbin release requirement = 14,386 MGY

#### **Step 6: Calculate Maximum Annual System Use**

= Authorized Withdrawals + Release Requirement (MGD)Multiply Maximum Annual System Use (MGD) X 365 days = MG

Quabbin Max Ann Use = 82,532 MGY + 14,386 MGY = 106,184 MGY

## Quabbin Example Continued

#### **Step 7:** Compare Reservoir Storage to Maximum Annual System Use

If Reservoir Storage > Maximum Annual System Use Then continue to Step 8

Quabbin storage = 337,720 >> Max use 106,184 MG

#### Step 8: Compare Reservoir Storage to Basin Yield Reservoir Inflow + Maximum Annual System Use

If Reservoir Storage < BYRI+Max Use Then safe yield credit = (Reservoir Storage – Max Use)/365 (

If Reservoir Storage > BYRI+Max Use Then continue to Step 9

Quabbin Storage 333,720 MG >> BYRI 23,652 MG (with 194,102 MG to spare)

#### Step 9: Safe Yield Credit = Reservoir Average Annual Inflow

Use SYE to calculate average annual inflow at a point coincident with the reservoir dam or outlet Convert resultant flow in cfs to MGD (cfs/1.55 = MGD)

Res. Ave. Ann. inflow = Ware (47.3 MGD + Quabbin 195.2 MGD = 242.5 MGD (full credit)

#### **MWRA Wachusett**

- 1. Reservoir storage = 65,000 MG
- 2. BYRI = 14,614 MG
- 3. Storage > BYRI (yes)
- 4. Authorized withdrawal = 126.12 MGD = 46,034 MGY
- 5. Release requirement = 624 MGY
- 6. Max annual use = 46,658 MGY
- 7. Storage > Use ? (Yes)
- 8. Storage > BYRI + Use? Yes
- 9. Safe yield credit = average annual inflow = 127.4 MGD

### Safe Yield Results

